(1) GENERAL INFORMATION:

- (i) APPLICANT: KHOURI, ROGER K. SAMPATH, KUBER T. RUEGER, DAVID C.
- (ii) TITLE OF INVENTION: MANUFACTURE OF AUTOGENOUS REPLACEMENT BODY PARTS
- (iii) NUMBER OF SEQUENCES: 3
- (iv) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: TESTA, HURWITZ & THIBEAULT
 - (B) STREET: 53 STATE STREET
 - (C) CITY: BOSTON
 - (D) STATE: MASSACHUSETTS
 - (E) COUNTRY: U.S.A.
 - (F) ZIP: 02109
- (V) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: Floppy disk
 - (B) COMPUTER: IBM PC compatible
 - (C) OPERATING SYSTEM: PC-DOS/MS-DOS
 - (D) SOFTWARE: PatentIn Release #1.0, Version #1.25
- (vi) CURRENT APPLICATION DATA:
 - (A) APPLICATION NUMBER: US
 - (B) FILING DATE:
 - (C) CLASSIFICATION:
- (vii) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER:(B) FILING DATE:
- (viii) ATTORNEY/AGENT INFORMATION:
 - (A) NAME: KELLEY, ROBIN D.
 - (B) REGISTRATION NUMBER: 34,637
 - (C) REFERENCE/DOCKET NUMBER: CRP-101
 - (ix) TELECOMMUNICATION INFORMATION:
 - (A) TELEPHONE: 617/248-7000
 - (B) TELEFAX: 617/248-7100
- (2) INFORMATION FOR SEQ ID NO:1:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1822 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: cDNA
 - (iii) HYPOTHETICAL: NO
 - (iv) ANTI-SENSE: NO
 - (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: HOMO SAPIENS
 - (F) TISSUE TYPE: HIPPOCAMPUS

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 49..1341
- (C) IDENTIFICATION METHOD: experimental
 (D) OTHER INFORMATION: /function= "OSTEOGENIC PROTEIN" /product= "OP1" /evidence= EXPERIMENTAL /standard_name= "OP1"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

	•
GGTGCGGGCC CGGAGCCCGG AGCCCGGGTA GCGC	CGTAGAG CCGCCGCG ATG CAC GTG 57 Met His Val 1
CGC TCA CTG CGA GCT GCG GCG CCG CAC A Arg Ser Leu Arg Ala Ala Ala Pro His S 5 10	AGC TTC GTG GCG CTC TGG GCA 105 Ser Phe Val Ala Leu Trp Ala 15
CCC CTG TTC CTG CTG CGC TCC GCC CTG C Pro Leu Phe Leu Leu Arg Ser Ala Leu A 20 25	GCC GAC TTC AGC CTG GAC AAC Ala Asp Phe Ser Leu Asp Asn 30 35
GAG GTG CAC TCG AGC TTC ATC CAC CGG (Glu Val His Ser Ser Phe Ile His Arg A	CGC CTC CGC AGC CAG GAG CGG 201 Arg Leu Arg Ser Gln Glu Arg 45 50
CGG GAG ATG CAG CGC GAG ATC CTC TCC A Arg Glu Met Gln Arg Glu Ile Leu Ser 1 55 60	ATT TTG GGC TTG CCC CAC CGC 249 Leu Gly Leu Pro His Arg 65
CCG CGC CCG CAC CTC CAG GGC AAG CAC Pro Arg Pro His Leu Gln Gly Lys His P	AAC TCG GCA CCC ATG TTC ATG 297 Asn Ser Ala Pro Met Phe Met 80
CTG GAC CTG TAC AAC GCC ATG GCG GTG C Leu Asp Leu Tyr Asn Ala Met Ala Val C 85	GAG GAG GGC GGC GGC GGC 345 Glu Glu Gly Gly Pro Gly 95
GGC CAG GGC TTC TCC TAC CCC TAC AAG (Gly Gln Gly Phe Ser Tyr Pro Tyr Lys A	GCC GTC TTC AGT ACC CAG GGC 393 Ala Val Phe Ser Thr Gln Gly 110 £115
CCC CCT CTG GCC AGC CTG CAA GAT AGC C Pro Pro Leu Ala Ser Leu Gln Asp Ser I 120	CAT TTC CTC ACC GAC GCC GAC 441. His Phe Leu Thr Asp Ala Asp 125 130
ATG GTC ATG AGC TTC GTC AAC CTC GTG (Met Val Met Ser Phe Val Asn Leu Val (135	GAA CAT GAC AAG GAA TTC TTC 489 Glu His Asp Lys Glu Phe Phe 145
CAC CCA CGC TAC CAC CAT CGA GAG TTC (His Pro Arg Tyr His His Arg Glu Phe A	CGG TTT GAT CTT TCC AAG ATC 537 Arg Phe Asp Leu Ser Lys Ile 160
CCA GAA GGG GAA GCT GTC ACG GCA GCC (Pro Glu Gly Glu Ala Val Thr Ala Ala (165)	GAA TTC CGG ATC TAC AAG GAC 585 Glu Phe Arg Ile Tyr Lys Asp 175
TAC ATC CGG GAA CGC TTC GAC AAT GAG ATTYR Ile Arg Glu Arg Phe Asp Asn Glu 180	ACG TTC CGG ATC AGC GTT TAT 633 Thr Phe Arg Ile Ser Val Tyr 190 195

	CAG Gln	GTG Val	CTC Leu	CAG Gln	GAG Glu 200	CAC His	TTG Leu	GGC Gly	AG G Arg	GAA Glu 205	TCG Ser	GAT Asp	CTC Leu	TTC Phe	CTG Leu 210	CTC Leu	681
	GAC Asp	AGC Ser	CGT Arg	ACC Thr 215	CTC Leu	TGG Trp	GCC Ala	TCG Ser	GAG Glu 220	GAG Glu	GGC Gly	TGG Trp	CTG Leu	GTG Val 225	TTT Phe	GAC As p	729
	ATC Ile	ACA Thr	GCC Ala 230	ACC Thr	AGC Ser	AAC Asn	CAC His	TGG Trp 235	GTG Val	GTC Val	AAT Asn	CCG Pro	ccc Arg 240	CAC His	AAC Asn	CTG Leu	777
	GC	CTG Leu 245	CAG Gln	CTC Leu	TCG Ser	GTG Val	GAG Glu 250	ACG Thr	CTG Leu	GAT Asp	GGG Gly	CAG Gln 255	AGC Ser	ATC Ile	AAC Asn	CCC Pro	825
	AAG Lys 260	ьeu	GCG Ala	GGC Gly	CTG Leu	ATT Ile 265	GGG Gly	CGG Arg	CAC His	GGG Gly	CCC Pro 270	CAG Gln	AAC Asn	AAG Lys	CAG Gln	CCC Pro 275	873
	TTC Phe	ATG Met	GTG Val	GCT Ala	TTC Phe 280	TTC Phe	AAG Lys	GCC Ala	ACG Thr	GAG Glu 285	GTC Val	CAC His	TTC Phe	CGC Arg	AGC Ser 290	ATC Ile	921
	CGG Arg	TCC Ser	ACG Thr	GGG Gly 295	AGC Ser	AAA Lys	CAG Gln	CGC Arg	AGC Ser 300	CAG Gln	AAC Asn	CGC Arg	TCC Ser	AAG Lys 305	ACG Thr	CCC Pro	969
	AAG Lys	AAC Asn	CAG Gln 310	GAA Glu	GCC Ala	CTG Leu	CGG Arg	ATG Met 315	GCC Ala	AAC Asn	GTG Val	GCA Ala	GAG Glu 320	AAC Asn	AGC Ser	AGC Ser	1017
	AGC Ser	GAC Asp 325	CAG Gln	AGG Arg	CAG Gln	GCC Ala	TGT Cys 330	AAG Lys	AAG Lys	CAC His	GAG Glu	CTG Leu 335	TAT Tyr	GTC Val	AGC Ser	TTC Phe	1065
	CGA Arg 340	GAC Asp	CTG Leu	GGC Gly	TGG Trp	CAG Gln 345	GAC Asp	TGG Trp	ATC Ile	ATC Ile	GCG Ala 350	CCT Pro	GAA Glu	GGC Gly	TAC Tyr	GCC Ala 355	1113
	GCC Ala	TAC Tyr	TAC Tyr	TGT Cys	GAG Glu 360	GGG Gly	GAG Glu	TGT Cys	GCC Ala	TTC Phe 365	CCT Pro	CTG Leu	AAC Asn	TCC Ser	TAC Tyr 370	Met	1161
	AAC Asn	GCC Ala	ACC Thr	AAC Asn 375	CAC His	GCC Ala	ATC Ile	GTG Val	CAG Gln 380	ACG Thr	CTG Leu	GTC Val	CAC His	TTC Phe 385	ATC Ile	AAC Asn	1209
	CCG Pro	GIU	ACG Thr 390	GTG Val	CCC Pro	AAG Lys	CCC Pro	TGC Cys 395	T GT Cys	GCG Ala	CCC Pro	ACG Thr	CAG Gln 400	CTC Leu	AAT Asn	GCC Ala	1257
	ATC Ile	TCC [†] Ser 405	GTC Val	CTC Leu	TAC Tyr	TTC Phe	GAT Asp 410	GAC Asp	AGC Ser	TCC Ser	AAC Asn	GTC Val 415	ATC Ile	CTG Leu	AAG Lys	AAA Lys	1305
	TAC Tyr 420	AGA Arg	AAC Asn	ATG Met	GTG Val	GTC Val 425	CGG Arg	GCC Ala	TGT Cys	GGC Gly	TGC Cys 430	CAC His	TAGO	TCC	rcc		1351
GAGAATTCAG ACCCTTTGGG GCCAAGTTTT TCTGGATCCT CCATTGCTCG CCTTGGCCAG 141										1411							
	GAAC	CAGO	CAG A	CCA	CTG	CC T	rtigi	rgag <i>i</i>	A CCT	rrcco	CTC	CCTA	ATCCC	CCA A	ACTTI	DDAAAT	1471
																	-

TGTGAGAGTA	TTAGGAAACA	TGAGCAGCAT	ATGGCTTTTG	ATCAGTTTTT	CAGTGGCAGC	1531
ATCCAATGAA	CAAGATCCTA	CAAGCTGTGC	AGGCAAAACC	TAGCAGGAAA	AAAAAACAAC	1591
GCATAAAGAA	AAATGGCCGG	GCCAGGTCAT	TGGCTGGGAA	GTCTCAGCCA	TGCACGGACT	1651
CGTTTCCAGA	GGTAATTATG	AGCGCCTACC	AGCCAGGCCA	CCCAGCCGTG	GGAGGAAGGG	1711
GGCGTGGCAA	GGGGTGGGCA	CATTGGTGTC	TGTGCGAAAG	GAAAATTGAC	CCGGAAGTTC	1771
CTGTAATAAA	TGTCACAATA	AAACGAATGA	ATGAAAAAA	ААААААААА	Α	1822

(2) INFORMATION FOR SEQ ID NO:2:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 431 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:
- Met His Val Arg Ser Leu Arg Ala Ala Pro His Ser Phe Val Ala 1 5 10 15
- Leu Trp Ala Pro Leu Phe Leu Leu Arg Ser Ala Leu Ala Asp Phe Ser 20 25 30
- Leu Asp Asn Glu Val His Ser Ser Phe Ile His Arg Arg Leu Arg Ser 35 40 45
- Gln Glu Arg Arg Glu Met Gln Arg Glu Ile Leu Ser Ile Leu Gly Leu 50 55 60
- Pro His Arg Pro Arg Pro His Leu Gln Gly Lys His Asn Ser Ala Pro 65 70 75 80
- Met Phe Met Leu Asp Leu Tyr Asn Ala Met Ala Val Glu Glu Gly Gly 85 90 95
- Gly Pro Gly Gln Gly Phe Ser Tyr Pro Tyr Lys Ala Val Phe Ser 100 105 110
- Thr Gln Gly Pro Pro Leu Ala Ser Leu Gln Asp Ser His Phe Leu Thr 115 120 125
- Asp Ala Asp Met Val Met Ser Phe Val Asn Leu Val Glu His Asp Lys
 130
 130
 140
- Glu Phe Phe His Pro Arg Tyr His His Arg Glu Phe Arg Phe Asp Leu 145 150 155 160
- Ser Lys Ile Pro Glu Gly Glu Ala Val Thr Ala Ala Glu Phe Arg Ile 165 170 175
- Tyr Lys Asp Tyr Ile Arg Glu Arg Phe Asp Asn Glu Thr Phe Arg Ile 180 185 190
- Ser Val Tyr Gln Val Leu Gln Glu His Leu Gly Arg Glu Ser Asp Leu 195 200 205

Phe Leu Leu Asp Ser Arg Thr Leu Trp Ala Ser Glu Glu Gly Trp Leu 210 215 220

Val Phe Asp Ile Thr Ala Thr Ser Asn His Trp Val Val Asn Pro Arg 225 230 235 240

His Asn Leu Gly Leu Gln Leu Ser Val Glu Thr Leu Asp Gly Gln Ser 245 250 255

Ile Asn Pro Lys Leu Ala Gly Leu Ile Gly Arg His Gly Pro Gln Asn 260 265 270

Lys Gln Pro Phe Met Val Ala Phe Phe Lys Ala Thr Glu Val His Phe 275 280 285

Arg Ser Ile Arg Ser Thr Gly Ser Lys Gln Arg Ser Gln Asn Arg Ser 290 295 300

Lys Thr Pro Lys Asn Gln Glu Ala Leu Arg Met Ala Asn Val Ala Glu 305 310 315 320

Asn Ser Ser Ser Asp Gln Arg Gln Ala Cys Lys Lys His Glu Leu Tyr 325 330 335

Val Ser Phe Arg Asp Leu Gly Trp Gln Asp Trp Ile Ile Ala Pro Glu 340 345 350

Gly Tyr Ala Ala Tyr Tyr Cys Glu Gly Glu Cys Ala Phe Pro Leu Asn 355 360 365

Ser Tyr Met Asn Ala Thr Asn His Ala Ile Val Gln Thr Leu Val His 370 375 380

Phe Ile Asn Pro Glu Thr Val Pro Lys Pro Cys Cys Ala Pro Thr Gln 385 390 395 400

Leu Asn Ala Ile Ser Val Leu Tyr Phe Asp Asp Ser Ser Asn Val Ile 405 410 415

Leu Lys Lys Tyr Arg Asn Met Val Val Arg Ala Cys Gly Cys His
420 425 430

(2) INFORMATION FOR SEQ ID NO:3:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 102 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (ix) FEATURE:
 - (A) NAME/KEY: Protein
 - (B) LOCATION: 1..102
 - (D) OTHER INFORMATION: /label= OPX

/note= "WHEREIN EACH XAA IS INDEPENDENTLY SELECTED FROM A GROUP OF ONE OR MORE SPECIFIED AMINO ACIDS AS DEFINED IN THE SPECIFICATION"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

Cys Xaa Xaa His Glu Leu Tyr Val Xaa Phe Xaa Asp Leu Gly Trp Xaa 1 5 10 15

Asp Trp Xaa Ile Ala Pro Xaa Gly Tyr Xaa Ala Tyr Tyr Cys Glu Gly 20 25 30

Glu Cys Xaa Phe Pro Leu Xaa Ser Xaa Met Asn Ala Thr Asn His Ala 35 40 45

Ile Xaa Gln Xaa Leu Val His Xaa Xaa Yaa Pro Xaa Xaa Val Pro Lys 50 55 60

Xaa Cys Cys Ala Pro Thr Xaa Leu Xaa Ala Xaa Ser Val Leu Tyr Xaa 65 70 75 80

Asp Xaa Ser Xaa Asn Val Xaa Leu Xaa Lys Xaa Arg Asn Met Val Val 85 90 95

Xaa Ala Cys Gly Cys His 100